

**Product**

**WFU paper** (UPM Fine, UPM Preprint papers, UPM Envelope papers, Copy papers, UPM DIGI papers)

**Company**

**UPM-Kymmene Corporation**

**Mill**

**Nordland Papier**

Information gathered from

1.1.2014 to 31.12.2014

Date of issue

13.4.2015

## Environmental product declaration for paper

### Environmental Management

**Certified environmental management system at the mill (since):** ISO 14001 (1998), EMAS (1998)

**Company systems ensure traceability of the origin of wood** ☒ yes ☐ no ☐ 100% recovered paper

- Mill has certified Chain of Custody for FSC and PEFC in place. Certified paper based on request and availability.

- Products granted with the EU Eco-label.

- Copies of certificates available at [www.upm.com](http://www.upm.com)

### Environmental parameters

The figures are based on methods and procedures of measurement approved by the local (or national) environmental regulators at the production site. The figures include both paper and pulp production.

<b>Water</b>	<b>COD</b>	<b>6.9</b>	kg/tonne
	<b>AOX</b>	<b>0.04</b>	kg/tonne
	<b>N<sub>Tot</sub></b>	<b>0.08</b>	kg/tonne
	<b>P<sub>Tot</sub></b>	<b>0.03</b>	kg/tonne


<b>Air</b>	<b>SO<sub>2</sub></b>	<b>0.31</b>	kg/tonne
	<b>NO<sub>x</sub></b>	<b>0.8</b>	kg/tonne
	<b>CO<sub>2</sub> (fossil)</b>	<b>370</b>	kg/tonne

**Solid waste landfilled** 14 BDkg/tonne

**Purchased electricity consumption**

/tonne of final product **490 kWh**

### Product composition



This product contains biomass carbon, equivalent to 1240 kg of CO<sub>2</sub> per tonne of paper.

### More information

**Contact** Anne Lihvonen

(Address) Alvar Aallon katu 1

FIN-00100 Helsinki, Finland

Phone +358 204 153 537

E-mail [anne.lihvonen@upm.com](mailto:anne.lihvonen@upm.com)

[www.upm.com](http://www.upm.com)

## UPM CARBON FOOTPRINT INFORMATION


<b>Product</b>	<b>WFU paper</b> (UPM Fine, UPM Preprint papers, UPM Envelope papers, Copy papers, UPM DIGI papers)
<b>Company</b>	<b>UPM-Kymmene Corporation</b>
<b>Site</b>	<b>Nordland Papier</b>

Information gathered from **1.1. 2014** to **31.12.2014**

### Carbon Footprint

- UPM calculates the Carbon Footprint of its paper products based on the ten elements of the Carbon Footprint Framework for Paper and Board Products developed by CEPI (the Confederation of European Paper Industries). Detailed information on the CEPI Framework can be found at [www.cepi.org](http://www.cepi.org).
- The data used in the calculation are based on annual averages for a paper machine line.
- GHG = greenhouse gas. UPM figures refer only to emissions of fossil CO<sub>2</sub>.

**Carbon footprint of Nordland WFU**  
[kg fossil CO<sub>2</sub> per tonne of paper]



Ten elements of the CEPI Framework (See next page for remarks and explanations)	Fossil CO <sub>2</sub> (kg/tonne of paper)	Biogenic CO <sub>2</sub> (kg/tonne of paper)
1. Carbon sequestration in the forest		0
2. Carbon stored in the product		1240
<b>Net sequestration of biomass carbon</b>		<b>1240</b>
3. GHG emissions from pulp and paper production	370	
4. GHG emissions associated with producing virgin or recovered fibre	20	
5. GHG emissions associated with producing other raw materials	120	
6. GHG emissions associated with purchased electricity and steam *)	250	
7. Transport-related GHG emissions (excl. delivery to customer)	70	
<b>Total fossil CO<sub>2</sub> emissions</b>	<b>830</b>	
8. GHG emissions attributable to product use (e.g. printing)	-	
9. GHG emissions attributable to end-of-life-management of products	-	
10. Avoided emissions	-	

\*) The CO<sub>2</sub> factor used for purchased power is 511 g CO<sub>2</sub> per kWh.

## Remarks and explanations to the ten elements of CEPI Framework

### 1. Carbon sequestration in the forest

- In line with the CEPI Framework, carbon sequestration is currently not included in product level carbon footprint calculations.
- For UPM, forest certification and traceability of fibre supply using certified Chain of Custodies ensures the sustainable management of forests, and the long-term sequestration of carbon in them via the process of photosynthesis.

### 2. Carbon stored in the product

- Biogenic carbon is stored in products produced from wood fibre. The IPCC (International Panel on Climate Change) formula is used to determine the amount of CO<sub>2</sub> that is stored in the paper product.
- Through paper recycling the carbon stored in products is retained within the paper cycle.

### 3. GHG emissions from pulp and paper production

- UPM includes data on fossil CO<sub>2</sub> emissions from combustion of fossil fuels at pulp and paper manufacturing facilities, including that for external pulp production (production of purchased pulp).

### 4. GHG emissions associated with generating the supply of wood or recovered fibre

- For wood fibre, this includes fossil CO<sub>2</sub> emissions from forest management and harvesting activities.
- For recovered fibre, this includes fossil CO<sub>2</sub> emissions from the collection, sorting and processing of recovered fibre before it enters the recycling process.

### 5. GHG emissions associated with producing other raw materials

- Includes fossil CO<sub>2</sub> emissions generated during the manufacturing of non-wood-based raw materials (pigments or chemicals which are used in an amount above 10 kg per tonne of paper) and fuels.

### 6. GHG emissions associated with purchased electricity and steam

- Includes fossil CO<sub>2</sub> emissions associated with purchased electricity, steam and heat used for pulp and paper production, including that for external pulp production (production of purchased pulp)
- Due to differences in fuel mix used to produce electricity there are significant differences in the emission factors used to convert grid electricity to its equivalent CO<sub>2</sub>. UPM uses country specific emission conversion factors which are based on the real power supply to UPM mills in each respective country. The factor used is given below the table on the previous page.

### 7. Transport-related GHG emissions

- Includes fossil CO<sub>2</sub> emissions associated with in- and outbound transports of raw materials and final products from the paper mill, along the value chain.
- At UPM, this figure includes the transportation of wood, pulp, recovered paper and pigments to UPM mills.
- CO<sub>2</sub> emissions from transportation of paper to the customer is not included since this depends on the transportation modes used and distances to specific customer locations. This part of the element can be calculated for a specific case on request.

### 8. GHG emissions attributable to product use (e.g. printing)

- This element is not included within UPM's scope as a paper manufacturer.

### 9. GHG emissions attributable to end-of-life-management of products

- This element is not included within UPM's scope as a paper manufacturer.

### 10. Avoided emissions (e.g. superior energy efficiency or carbon offsetting measures)

- This element is not currently included in UPM's scope.